

(51) International Patent Classification ⁶ : A61K 7/025, 7/027, 7/031, 7/032	A1	(11) International Publication Number: WO 98/4229 (43) International Publication Date: 1 October 1998 (01.10.98)
(21) International Application Number: PCT/US: (22) International Filing Date: 12 March 1998 ((30) Priority Data: 08/824,510 26 March 1997 (26.03.97) (71) Applicant: AVON PRODUCTS, INC. [US/US]; 125 of the Americas, New York, NY 10020-1196 (US	12.03.9	BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GI GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KI LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MV MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, T TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO pate: (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian pate: (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European pate: (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LI
(72) Inventors: CURTIS, Ernest, S.; 423 Leisure Loop, Mi 18337 (US). SHAH, Arvind, N.; 7 Mountainview Suffern, NY 10901 (US). PAHLCK, Harold, E.; 36 Drive, Waldwick, NJ 07463 (US).	v Ayen	ue, Published
(74) Agent: RUGGIERO, Charles, N., J.; Ohlandt, Gree giero & Perle, Suite 903, One Landmark Square, CT 06901 (US).	ley, Ri Stamfo	ng- rd,

(54) Title: WEAR RESISTANT COSMETICS

(57) Abstract

A wear-resistant cosmetic composition including a styrene-ethylene/propylene mixed block copolymer, preferably from about 0.1 weight percent to about 15 weight percent, in a cosmetically acceptable carrier. The cosmetic composition may also include an alkyl cycloalkylacrylate copolymer, preferably from about 0.1 weight percent to about 15 weight percent.

BEST AVAILABLE COPY

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

i e							
·AL	Albania .	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	CE	Georgia	MD	Republic of Moldova	TG	Togo
BB.	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Paso	GR	Greece	, , ,	Republic of Macedonia	TR	Turkey
		HU	Hungary	ML	· Mali ·	TT	Trinidad and Tobago
BC	Bulgaria Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BJ		IL	Israel	MR	Mauritania	UG	Uganda
BR	Brazil	IS	Iceland	MW	Malawi	US	United States of America
BY.	Belarus	IT .	Italy	MX	Mexico	UZ	Uzbekistan
CA	Canada	JP ·		NE	Niger	VN	Viet Nam
CF	Central African Republic		Japan	NL	Netherlands	YU	Yugoslavia
CG	Congo	KE	Kenya	NO	Norway	zw	Zimbabwe
CH	Switzerland	KG	Kyrgyzstan		New Zealand	277	. Zamodowe
CI	Côte d'Ivoire	KP	Democratic People's	NZ			
CM	Cameroon		Republic of Korea	PL ·	Poland		
CN.	China	KR	Republic of Korea	PT	Portugal		• • •
Cυ	Cuba	KZ	Kazakstan	RO	Romania		
cz	Czech Republic	LC	Saint Lucia	· RU	Russian Federation	•	
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	. SE	Sweden		
BE	Estonia	LR	Liberia	SG	Singapore		_
1							

20

WEAR RESISTANT COSMETICS

The present invention relates generally to wear resistant cosmetic compositions. More particularly, this invention relates to a cosmetic composition containing a styrene-ethylene/propylene mixed block copolymer that demonstrates enhanced wear in combination with a smooth, non-tacky feel.

BACKGROUND OF THE INVENTION

Various organic waxes and film formers are known in the art for their ability to impart uniform films and protective barriers to the skin and lips. Most of these films are slow to dry on application. Because these films remain wet for extended periods of time, they adhere poorly and tend to transfer off the surface to which they are applied. This results in poor overall cosmetic wear, and requires that the user reapply the cosmetic frequently.

Those film formers that provide somewhat more rapid drying times have additional limitations. The primary limitation of these film formers is an unpleasant tacky feel on application to the skin, lips or lashes that is disliked by consumers. Also, these products tend to drag against the skin when applied, and leave the skin feeling dry and sticky.

Accordingly, there is a need for a wear-resistant cosmetic that forms a protective film on the skin that is also quick to dry and easy to apply, but does not have an unpleasant, undesirable tacky feel on the skin.

SUMMARY OF THE INVENTION

Against the foregoing background, it is a primary object of the present invention to provide a cosmetic composition having enhanced wear resistance.

It is another object of the present invention to provide a cosmetic composition that produces a quick drying protective film on the skin.

It is yet another object of the present invention to provide a wear resistant cosmetic composition that is not tacky and neither drags against the skin upon application nor dries the skin.

To the accomplishment of the foregoing objects and advantages, the present invention, in brief summary, comprises a wear-resistant cosmetic composition including a styrene-ethylene/propylene mixed block copolymer, preferably at from about 0.01 weight percent to about 85 weight percent, in a cosmetically acceptable carrier. The cosmetic composition may also include an alkyl cycloalkylacrylate copolymer, preferably at from about 0.01 weight percent to about 85 weight percent.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

20

The present invention provides a wear-resistant cosmetic such as, for example, a lipstick, foundation, eye shadow, blush or mascara. It has surprisingly been found that a styrene-ethylene/propylene mixed block copolymer provides superior wear resistance to such cosmetic compositions or formulas, both alone and preferably in combination with an alkyl cycloalkylacrylate copolymer. Moreover, it has surprisingly been found that cosmetic formulas containing the styrene-ethylene/propylene mixed block copolymer are non-tacky and have a pleasant feel when applied to the skin. These compositions are easy to apply, have improved skin and lip adherence (transfer resistance), and provide enhanced wear and longevity.

Most preferably, the wear-resistant cosmetic composition according to the present invention includes a styrene-ethylene/propylene mixed block copolymer in a cosmetically acceptable carrier. This cosmetic composition may also include an alkyl cycloalkylacrylate copolymer as a primary ingredient or in combination with the mixed-block copolymer.

The preferred styrene-ethylene/propylene mixed block copolymer of the present invention is a block copolymer made up of styrene, ethylene and propylene type monomers having the following general structure:

Styrene

$$R_{1}-C=C \begin{pmatrix} R_{2} \\ R_{3} \end{pmatrix}$$

Ethylene

$$R_{2}$$
 $C = C \setminus R_{3}$

Propylene

where R_1 to R_6 are independently hydrophobic alkyl chains. One possible structure of the copolymer, with the repeating monomer subset shown in brackets, is:

$$R = \begin{bmatrix} R & R & R & R & R & CR_3 & R \\ I & I & I & I & I & I & I \\ C - C & -C & -C & -C & -C - C & -C \\ I & I & I & I & I & I \\ R & R & R & R & R & R \end{bmatrix}$$

wherein $n \ge 1$ and the R groups may be the same or different, and are independently hydrophobic alkyl chains.


The most preferred styrene-ethylene/propylene mixed block copolymer for use in the present invention is available from Brooks Industries as Gel Base (Code 05895). Gel Base (Code 05895) is a styrene-ethylene/propylene mixed block copolymer in combination with isododecane, that is provided as a cloudy white gel. The specific structure of the Gel Base (Code 05895) styrene-ethylene/propylene mixed block copolymer is proprietary to Brooks Industries.


This mixed block copolymer is not water soluble, but is soluble in certain oils and hydrocarbon solvents such as isoparaffin and isododecane. This allows the mixed block copolymer to be delivered in a volatile solvent base to the skin. Once delivered, the volatile solvent evaporates, at least partially, leaving the water insoluble mixed block copolymer film on the skin. This film resists transfer and wear. The mixed block copolymer is most preferably used in combination with a silicone-containing base (containing, for example, dimethicone/cyclomethicone) or an organic volatile in an aqueous base, for superior feel and wear.

In a preferred embodiment, the styreneethylene/propylene mixed block copolymer is from
about 0.01 percent by weight to about 85 percent by
weight (weight percent) of the total weight of the
composition. In the most preferred embodiment, the
styrene-ethylene/propylene mixed block copolymer is
from about 0.1 to about 15 percent by weight of the
composition. It should be understood that one or
more styrene-ethylene/propylene mixed block
copolymers may be used in the present compositions.

When the composition includes the alkyl-cycloalkylacrylate copolymer, the preferred alkyl cycloalkylacrylate copolymer is a copolymer or copolymers having the following formulas and the

15 isomers thereof:





where R_1 to R_4 are independently hydrophobic alkyl chains. The alkyl cycloalkylacrylate copolymers are soluble in hydrocarbons, such as isododecane, but not in water, thus enhancing the film-forming effect of the copolymer in a volatile solvent base.

When included, the alkyl cycloalkylacrylate copolymer or copolymers can be from about 0.01 percent by weight to about 85 percent by weight. Preferably, this copolymer is about 0.1 percent by weight to about 15 percent by weight of the composition.

15

The composition may also include other ingredients, such as a volatile solvent, wax, powder, non-volatile oil, and emulsifier.

The volatile solvent of the present invention acts as a carrier for the other components of the cosmetic, rapidly and evenly dispersing them on the skin, and then evaporating. The preferred volatile solvent includes C_6 to C_{20} hydrocarbon fractions, more preferably an isoparaffin and most preferably the specific C_{12} fraction isododecane. Alternatively, cyclomethicone, up to a preferred limit of about 30 weight percent, is also favored.

The volatile solvent may be present in an amount from about 0.01 percent by weight to about 85 percent by weight. However, in certain compositions, less volatile solvent than the maximum 85 percent by weight is desired. For example, a foundation preferably contains no more than about 50 percent by weight of volatile solvent. One or more volatile solvents may be present in the above total amount.

The preferred wax or waxes can be of vegetable, synthetic or hydrocarbon origin. The wax preferably should have a melting point in the range between about 35°C to 120°C. The wax is present in an amount from about 0.01 percent by weight to about 50 percent by weight of the composition. A greater amount of wax is preferred in an anhydrous blush or lipstick than in a mascara. Therefore, the amount of wax in an anhydrous blush or lipstick is preferably about 0.01 percent by weight to about 50 percent by weight, whereas in a mascara, the amount of wax is preferably about 0.01 to about 25 percent by weight of the composition.

The dry powder, as discussed above, gives color and sheen to the cosmetics of the present composition. The preferred dry powder includes an organic or an inorganic powder or a combination thereof. The dry powder preferably is a certified organic lake, a stain or an inorganic pigment having a particle size between about 0.02 and about 85 microns in diameter. The dry powder or powders component is preferably present in an amount from about 0.1 percent by weight to about 65 percent by weight of the composition, with the higher figure most suitable for such products as lipsticks or foundations. A blush or mascara preferably contains no more than about 20 to 25 weight percent of powder.

It is also preferred, depending on the final product being formulated, to include a nonvolatile oil, emulsifier, water or a combination thereof to the finished cosmetic composition. The copolymers of the present invention are suitable for use in both water-based and anhydrous systems.

A preferred cosmetic composition according to the present invention comprises from about 0.01 weight percent to about 85 weight percent of a block copolymer of styrene, ethylene and propylene type monomers. In a more preferred embodiment, the composition also includes from about 0.01 weight percent to about 85 weight percent of alkyl cycloalkylacrylate copolymer. Another preferred cosmetic composition according to the present invention comprises:

- 1) from about 0.01 weight percent to about 85 weight percent of a block copolymer of styrene, ethylene and propylene type monomers;
- 2) from about 0.01 weight percent to about 85 weight percent of alkyl cycloalkylacrylate copolymer;

20

- 3) from about 0.01 weight percent to about 85 weight percent volatile solvent;
- 4) from about 0.01 weight percent to about 50 weight percent wax:
 - 5) from about 0.1 weight percent to about 65 weight percent dry powder; and
 - 6) from about 0.01 weight percent to about 80 weight percent non-volatile oil, emulsifier and/or water.

As discussed above, one or more of each ingredient may be used, but with the total amount of that ingredient set forth above.

Within the preferred ranges set forth above, the following Examples 1 through 3 set forth preferred

subset compositions for foundations, blushes or lipsticks, and mascaras, respectively.

Example 1

FOUN	

•		₩t. %	
		From about	To about
	Styrene-ethylene/propylene mixed block copolymer	0.01	15
10 -	Alkyl cyclomethacrylate copolym	er 0.01	15
7	Volatile Solvent	0.01	50
	Wax	0.01	30
	Powder	0.1	65
15	Nonvolatile oil, emulsifier and water	0.01	55

Example 2 ANHYDROUS BLUSH/LIPSTICK

	Wt. %	•
Fro	om about	To about
Styrene-ethylene/propylene mixed block copolymer	0.01	10
Alkyl cyclomethacrylate copolymer	0.01	20
Volatile Solvent	0.01	60
Wax	0.01	50
Powder	0.1	25
Nonvolatile oil and emulsifier	0.01	55

Example 3 MASCARA

35		Wt. 8	
		From about	To about
	Styrene-ethylene/propylene mixe block copolymer	d 0.01	30
· .	Alkyl cyclomethacrylate copolym	er 0.01	50
40	Volatile Solvent	0.01	70
	Wax	0.01	25

Powder	0.1	20
Nonvolatile oil, emulsifier		
and water	0.01	50

The following are illustrative preferred embodiments.

Example 4 - Pigmented Foundation

	•		
10	Isododecane	25.00	
	Silica-fumed	0.50	
	Isooctahexacontane	1.00	
	Bentone gel	3.00	
	Isododecane/mixed block		
15	copolymer	6.00	
	Cycloalkylmethacrylate		•
	copolymer/isododecane	2.00	
	Laurylmethicone copolyol	2.00	
	Polyglycerol diisostearate	0.75	•
20	Glyceryl tribehenate	0.75	
	Glyceryl rosinate	4.00	
	Cosmetic powder	8.75	7
	Cosmetic pigment	12.695	:
	Demineralized water	27.785	
25	Disodium EDTA	0.20	
	Sodium hexametaphosphate	0.15	
	Sodium chloride	0.50	
•	Butylene glycol	4.00	
	Methylparaben	0.40	٠
30	Xanthan gum	0.01	
•	Imidazolidinyl urea	0.50	
		•	

Example 5 - Waterproof Mascara

٠.	Odorless Mineral Spirits	32.35
35	Isododecane/Mixed Block	
	Copolymer	15.00
	Cycloalkylmethacrylate	
	copolymer/isododecane	4.00
	Pentaerythritol rosinate	2.50
40 ·	Iron oxide	5.00
· .	Cosmetic wax	9.30
•	Cosmetic powder	13.00
	Hydroxylated lanolin	1.30
7	Glyceryl Pyroglutamate	
45	Monooleate	0.50
	Polybutene	0.10
	Butylated hydroxytoluene	0.02
	Propylparaben	0.25
	Demineralized water	14.88

• • •		•	
	Polyvinylpyrrolidone	0.10	
: .	Tetrasodium EDTA	0.20	
	Acetylated POE lanolin	0.20	
. :	alcohol	0.20	
5	Propylene glycol	1.00	
,		0.30	
	Methylparaben		
	2-phenoxyethanol	0.50	
10	Possinia 6	D1b	
10	Example 6	- Blush	
	muidanul tuimallitata	14.68	
	Tridecyl trimellitate	14.00	
	Isododecane/mixed block		
	copolymer	4.95	
15	Isododecane	7.35	•
	Cyclomethicone	4.50	
	Cycloalkylmethacrylate		
	copolymer/isododecane	20.00	
	Pentaerythritol rosinate	1.20	•
20	Isopropyl lanolate	5.00	
	Cosmetic wax	22.00	
	внт	0.02	
	Ethylhexyl palmitate	5.00	
	Jojoba oil	0.50	
25	Ethylhexyl methoxycinnamate	1.00	
	Tocopherol acetate	0.05	
	Organic pigment lake	0.55	
	Iron oxide	1.35	
	Titanium dioxide	3.85	
30	Mica	8.00	
30	MICa	0.00	
٠,	Evenuelo 7	Tin Color	
	Example 7	Lip Color	_
35	Cosmetic wax	14.60	
35	Diisostearyl fumarate	9.80	
	Stearyl dimethicone	3.90	٠.
	Ethylhexyl methoxycinnamate	3.20	•
	Benzophenone 3	1.50	
40			
. 40	Iron oxide pigment	9.60	
٠.	Cosmetic powder	2.84	
	Cyclomethicone	45.05	
	Isododecane	6.00	
	Isododecane/mixed block	_	
45	copolymer	2.00	
· · ·	Squalane	1.50	
	Cycloalkylmethacrylate		
	copolymer/isododecane	0.01	
	•	1	

The invention having been thus described with particular reference to the preferred forms thereof,

it will be obvious that various changes and modifications may be made therein without departing from the spirit and scope of the invention as defined in the appended claims.

What we claim is:

1. A wear-resistant cosmetic composition comprising a styrene-ethylene/propylene mixed block copolymer in a cosmetically acceptable carrier.

2. The cosmetic composition of claim 1, wherein said styrene-ethylene/propylene mixed block copolymer is of a structure as follows:

10

wherein $n \ge 1$ and R represents independently hydrophobic alkyl groups of identical or different types.

14


- 3. The cosmetic composition of claim 1, wherein said styrene-ethylene/propylene mixed block copolymer is present from about 0.01 percent by weight to about 85 percent by weight of a total composition weight.
- 4. The cosmetic composition of claim 1, wherein said styrene-ethylene/propylene mixed block copolymer is present from about 0.1 weight percent to about 15 percent by weight of a total composition weight.

5. The cosmetic composition of claim 1, further comprising an alkyl cycloalkylacrylate copolymer.

5 6. The cosmetic composition of claim 5, wherein said alkyl cycloalkylacrylate copolymer is of a structure selected from the group consisting of Structure A, Structure B, an isomer of Structure A, an isomer of Structure B, and a combination thereof:

10

Structure A



Structure B

$$\begin{array}{c|cccc}
R_2 & O & & \\
\hline
& C & O & R_1
\end{array}$$

$$\begin{array}{c|cccc}
R_3 & & \\
O & = & C & \\
\hline
& O & \\
\end{array}$$

where R1 to R4 are independently hydrophobic alkyl chains.

- 7. The cosmetic composition of claim 5, wherein said alkyl cycloalkylacrylate copolymer is present at from about 0.01 weight percent to about 85 weight percent.
- 8. The cosmetic composition of claim 5,
 wherein said alkyl cycloalkylacrylate copolymer is
 present at from about 0.1 weight percent to about 15
 weight percent.
- The cosmetic composition of claim 1,
 wherein said carrier comprises a volatile solvent.
 - 10. The cosmetic composition of claim 9, wherein said volatile solvent is present at from about 0.01 weight percent to about 85 weight percent.
 - 11. The cosmetic composition of claim 10, wherein said volatile solvent includes a volatile hydrocarbon.
- 12. The cosmetic composition of claim 10, wherein said volatile solvent is silicon-based.
 - 13. The cosmetic composition of claim 1, wherein said carrier includes a volatile hydrocarbon.
 - 14. The cosmetic composition of claim 1, wherein said carrier includes silicone.

15. The cosmetic composition of claim 1, further comprising from about 0.01 weight percent to about 50 weight percent wax.

- 5 16. The cosmetic composition of claim 1, further comprising from about 0.1 weight percent to about 65 weight percent dry powder.
- 17. The cosmetic composition of claim 1,10 wherein said carrier comprises water.
 - 18. The cosmetic composition of claim 1, further comprising a non-volatile oil.
- 15 19. The cosmetic composition of claim 1, further comprising an emulsifier.
 - 20. A wear-resistant cosmetic composition comprising an alkyl cycloalkylacrylate copolymer.
 - 21. A wear-resistant cosmetic composition comprising:

from about 0.01 to about 30 percent by weight styrene-ethylene/propylene mixed block copolymer;

from about 0.01 to about 50 percent by weight alkyl cyclomethacrylate copolymer;

from about 0.01 to about 70 percent by weight volatile solvent;

from about 0.01 to 50 percent by weight wax; and from about 0.1 to 65 percent powders.

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US98/04704

	· · · · · · · · · · · · · · · · · · ·		
A. CLAS	SSIFICATION OF SUBJECT MATTER		
	A61K 7/025, 7/027, 7/031, 7/032		· · · · · · · · · · · · · · · · · · ·
	424/64, 70.7, 401		·
	International Patent Classification (IPC) or to both	national classification and IPC	
B. FIEL	DS SEARCHED	·	
		I bu alamifaction muchales	
Minimum do	ocumentation searched (classification system followed	by classification symbols)	
U.S. :	424/64, 70.7, 401		
	ion searched other than minimum documentation to the	extent that such documents are included	in the fields searched
NONE			'
			· .
Electronic d	ata base consulted during the international search (na	me of data base and, where practicable	, search terms used)
NONE			
HONE			
C. DOC	UMENTS CONSIDERED TO BE RELEVANT		
C. DOC	OMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where ap	propriate, of the relevant passages	Relevant to claim No.
v	110 5 550 977 A (IONIEC at al.) 24 Car	stambar 1006 column 2 line	1_4
X	US 5,558,872 A (JONES et al.) 24 Sep	Jemoer 1990, Column 2, line	1-4
	26 and claim 1.		
Υ.			9-19
	*		
Y	US 5,219,560 A (SUZUKI et al.) 15	June 1993, abstract, columns	9-19
•	11-14, and examples.		
		w .	
			
	*		
·		• • • • • • • • • • • • • • • • • • • •	
			14.
	*		
<u> </u>	<u> </u>		
Furth	her documents are listed in the continuation of Box C	See patent family annex.	
• Sp	secial categories of cited documents;	"T" later document published after the in	
	comment defining the general state of the art which is not considered	date and not in conflict with the app the principle or theory underlying th	
	be of particular relevance	"X" document of particular relevance; the	
	rlier document published on or after the international filing date	considered novel or cannot be consid	
L do	seement which may throw doubts on priority claim(s) or which is ted to establish the publication date of another citation or other	when the document is taken alone	
ap	ecial reason (as specified)	"Y" document of particular relevance; il considered to involve an inventive	e stop when the document is
	ocument referring to an oral disclosure, use, exhibition or other	combined with one or more other such being obvious to a person skilled in	ch documents, such combination
•P• do	comment published prior to the international filing date but later than	"A." document member of the same pater	
th	a priority date claimed actual completion of the international search	Date of mailing of the international se	
Date of the	actual completion of the intelligence at search	Daw of maring of the michanonal se	area report
29 MAY	1998	2 2 JUN 1998	•
Name and	mailing address of the ISA/US	Authorized officer) - O · · ·
Commissio	mailing address of the 15A/OS oner of Patents and Trademarks	A (1,01)
Box PCT		JYOTHSNA VENKAT	VW/I
	m, D.C. 20231 No. (703) 308-4363	Telephone No. (703) 306-3495	7()
		(703) 300-3473	
Form PCT/I	SA/210 (second sheet)(July 1992)*		. ()

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
\square image cut off at top, bottom or sides
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.